0

- (4) Unless in the case of an omnibus the main exhaust flow is discharged into the air, behind the passenger compartment or as practicable as possible to the rear.
- (5) The engine is in such a condition that oil, grease or fuel is allowed to drop onto the road surface.

Prohibition of passengers: tractors not designed to form part of articulated unit

81. No person shall drive on any road, a tractor not designed to form part of an articulated unit carrying passengers.

Provided that a person giving instructions to a learner driver may be carried on the tractor and a seat shall be provided for this purpose.

Carriage of passengers: goods vehicles

82. (1) Where a motor vehicle or trailer is not constructed for the carriage of passengers, no person shall drive on any road such vehicle or trailer, carrying passengers exceeding seven in number in that part of the vehicle or trailer where goods are commonly carried:

Provided that passengers exceeding seven may be so carried if—

- (a) the motor vehicle or trailer is being used in the normal course of the business of the owner of the motor vehicle or trailer, and the passengers being carried for any purpose connected with the business of such owner; or
- (b) the passengers being carried are employees of such owner; or
- (c) the passengers being carried are members of the family of such employees or owners; or
- (d) the passengers are being carried because of an emergency in such a manner that each passenger is provided with at least 0.5 square metres of floor seating space.
- (2) A motor vehicle shall not be deemed to be constructed to carry passengers only by virtue of the fact that it is so constructed as to permit the carriage of passengers on the seat next to the driver, or

because seats have been fitted in that portion of the vehicle where goods are commonly carried in respect of a vehicle which has been constructed primarily for the carriage of goods.

- (3) A passenger carried in terms of this section—
- (a) who is under the age of ten years, shall be under the direct supervision of a passenger of sixteen years of age or more;
- (b) shall sit within the body of the motor vehicle or beyond the front, side or back of the trailer, as the case may be.

Carriage of passengers: passenger vehicles other than public service vehicles

83. (1) No person shall drive on any road a light motor vehicle constructed to carry passengers, containing five or more passengers, unless a seating width of at least 380 mm and 300 mm is allowed for the driver and every passenger respectively, measured along the rear of such seat at seat level:

Provided that additional passengers may be carried in that portion of a motor vehicle where luggage is normally carried and where such area is not separated from the passenger compartment, in such a manner that every passenger so carried is allowed at least 0,5 square metres floor space.

- (2) No person shall drive on any road a heavy motor vehicle constructed to carry passengers, containing five or more passengers, unless a seating width of at least 380 mm is allowed for the driver and every passenger, measured along the rear of such seat at seat level.
- (3) In determining the number of passengers that may be carried in a vehicle in accordance with this section, any child under five years of age shall not be counted and two children of five years of age or more, but less than ten years of age, shall be counted as one passenger.
- (4) No person shall drive on any road any motor vehicle provided with rear seating if a child under the age of ten years is carried in a front seat.

PART V

GENERAL

Prescribed fees

84. Storage, inspection and administrative fees payable in terms of these regulations, shall be in accordance with the Eighth Schedule before any services can be provided in respect of any vehicle or any vehicle can be collected from the lawful custody of an inspecting officer or responsible authority as the case may be.

Signs and notices

85. No person shall drive on any road any motor vehicle or trailer if it is not displaying any sign or notice in terms of any legal instrument including requirements of the Hazardous Substances and Articles (Transportation by and Labelling of Road Tankers) Regulations or any amendments thereto.

Exemptions by minister

86. (1) Subject to this section, the Minister may exempt any vehicle or class of vehicles from any provision of these regulations, and may impose conditions upon such exemption to ensure the safety of the public or the preservation of roads:

Provided that no such exemption may be given in relation to section 15, 76, 77, 78 or 80.

- (2) An exemption in terms of subsection (1) shall—
- (a) be in writing, if it is given in respect of a particular vehicle; or
- (b) by notice in the *Gazette*, if it is given in respect of a class of vehicles.
- (3) Any person who drives on a road a vehicle in respect of which a written exemption has been given in terms of this section shall carry such authority on the vehicle and produce it on demand by a police officer or an inspecting officer.

Forms

87. A---

- (a) notice to discontinue the use of a motor vehicle or trailer, given in terms of section 73 of the Act; and
- (b) certificate of roadworthiness issued in terms of section 73 of the Act,


shall be in the appropriate form set out in the Ninth Schedule, with such variations as circumstances may require.

Offences and penalties


88. Any person who contravenes or fails to comply with sections 4, 5, 6 (1), (2), (3), 7(1), (2), 8(1) (a), (b), 9 (1), (2), (3), (4), (5), 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, or 87(3), (5), (6), 7, 12 (2), 19 (1), 20 (3), 21, 22, 22 (3), (4), 24(1) (2), 25 (1), (2), (3), 26, 27 or 2; commits an offence and shall be liable, on conviction, to a fine not exceeding level five, or to period of imprisonment not exceeding six months or both such fine and imprisonment.

Repeals

- 89. (1) The regulations specified in the Tenth Schedule are repealed.
- (2) Any exemption which was granted or issued in terms of the regulations specified in the Tenth Schedule and which was in force immediately before the date of commencement of these regulations shall continue in force as if it had been granted or issued in terms of the equivalent provision of these regulations.



SECOND SCREDULE: AXLE CONFIGURATION MAXIMUM G.V.M 1. 18 989 KG 2 WHEELS 8 000kg 10 000 kg 26 800 KG 2 WHEELS 8 000kg WHEELS EACH 18 000kg 36 000 KG 10 000 kg)8 000 kg 8 000kg 44 000 KG 8 00004 18 000 kg 5. 24 000kg 50 000 KG 8 000kg 18 000 kg **GROSS TRAIN MASS** 56 000 KG



SECOND SCHEDULE AXI,E CONFIGURATIONS

THIRD SCHEDULE


CHROMATICITY CHART

Minimum coefficient of retroreflection candelas/foot candle/square foot candelas/lux/square metre

REFLECTIVE MATERIAL	OBSERVATION ANGLE	ENTRANCE ANGLE	WHITE	YELLOW	REC
Engineer Grade	0 2	- 4	70	50	14.5
	· 02	+ 30	30	22	6.0
	0.5	- 4	30	25	7.5
•	. 0.5	+ 30	15	13	3.0
Honey Comb	0.2	- 4	250	170	45
Or High Intensity	0.2	+ 30	150	100	25
Grade	0.5	-4	180	122	25
	0.5	- 30	100	67	14
Diamond Grade	0.2	-4	900	590	210
	0 2	+ 30	700	350	180
	0.5	-4	600	365	160
•	0.5	+ 30	300	200	95

FOURTH SCHEDULE (Section 37)

THE CHEVRON PATTERN




FIFTH SCHEDULE (Section 34)

RETRO REFLECTORS AND WARNING SIGN: ANIMAL DRAWN VEHICLES

a = 50 mm	aĵ	Red	
	*	Yellow	

SIXTH SCHEDULE (Section 52)

SPECIAL VISUAL WARNING DEVICE: ALL MOTOR VEHICLES



- 1. The triangle shall be permanently and legibly marked with-
 - (a) name of manufacturer:
 - (b) year of manufacture e.g. 1998.
- The triangle shall be made of aluminium or flexible plastic which does not break easily on bending.
- Instructions on how to place the triangle including minimum distance from the vehicle must be affixed to the triangle in such a way not to obscure the reflective material.
- The triangle can incorporate glass type circular reflex reflectors at each apex.
- The edges of the triangle must be ridged to prevent the reflective material flaking off at the edges.

Notes for dimensions

- Sides of triangle, s = 50 mm wide
- length of sides, 1 = 425 mm
- Ridge, b = 5 mm
- Minimum reflective surface, a = 40 mm
- Minimum radius of vertex = 6.25

SEVENTH SCHEDULE

CONSTRUCTION VEHICLES

Any vehicle incorporating machinery, plant or equipment of the following nature—

- A. Auger tar
- B. Bitumen, tar or water sprayers or distributors
- C. Bitumen or tar heaters
- D. Continuous belt or bucket loaders or conveyers
- E. Cranes
- F. Crushers
- G. Excavators
- H. Graders
- I. Road marking machines
- J. Road sweepers or power brooms
- K. Rollers
- L. Shovels
- M. Soil, concrete, tar or bitumen mixers
- N. Water boring machinery
- O. Welding units
- P. Compactors
- Q. Compressors
- R. Cable layers or pipe layers
- S. Water pumps
- T. Sand or stone dryers

EIGHTH SCHEDULE

PRESCRIBED FEES

For the purpose of this Schedule-

- (a) initial inspection refers to the very first inspection to be carried out on any vehicle or alternatively an inspection succeeding any previous inspection carried out on the same vehicle more than thirty days from the date of such preceeding inspection;
- (b) re-inspection refers to an inspection carried out on a vehicle within a period of thirty days from the date of the inspection carried out on the vehicle in question;
- (c) in determining the storage fees payable in respect of a vehicle or part thereof or any equipment or wares and merchandise of any kind left in the custody of or abandoned within the boundaries of any vehicle inspection depot the officer responsible for the collection of storage fees shall calculate the total number of days from the date of inspections of such vehicle to the day of collection of such vehicle inclusive of both days and deduct fourteen days therefrom and then multiply the resultant number of days with the daily charge as prescribed in this Schedule.

NINTH SCHEDULE



R.T. 16

No.

ZIMBABWE

ROAD TRAFFIC ACT [CHAPTER 13:11] NOTICE PROHIBITING USE OF VEHICLE

	_1															R	T	<u> 1</u>	6
Transaction No.														1				-	1
Psv/Pvt																	!	-	T
Registration No.											_			:		Γ_	:	-	•
Name		Т	Т	Π			Γ	Γ			1	Π			Г		-	1	-
				Γ			Г				_	!			<u> </u>				1
Overnight address	1.	T	T	T	Г	Г	Γ	-		_	-	+	!	i			!	-	
	1		1	-	\vdash			 			-	1	-	-	-		 		
Area code			—			L		_			L		•				 		
Depot code	+																<u> </u>		+
Registration book				_								i					-		+-
Chassis No.	1					Г		Г			<u> </u>	╁	-		-		1		÷
Engine No.	+-			_		-	-	-			-	┞	-		_		1	!-	-
Date of transaction	+					Щ.	L	L			ــــ ا	<u></u>	i	-			-	 -	
nd as per attached report. ITS USE IS HEREBY	PROHIBIT	ED 2	ad all		 	v sen	wir.				nd al			have					
and as per attached report. ITS USE IS HEREBY revision of the Road traffic white laspector. Authority is hereby give	PROHIBIT Aci [Chapt in terms o	ED at	nd sili // ar on 6-	necod Re	essar gulai	y rep lons,	eirs. 25 ac	adju nend	umen ed. ar	ils ai id a (nd al Certi	lterat ficate	ons i	have	heen	so th	at it co	ompli by a C	es wi
nd as per attached report. ITS USE IS HEREBY revision of the Road traffic échic le Inspector. Authority is hereby give and dafter all repairs have been certify required, in terms of secretify required, in terms of se	PROHIBIT Act [Chapt in terms of	ED as	nd all	necode Re	essar gulat	y replicons,	airs, as at	adju nend the	umen ed. ar	ils at id a (nd al Certi	lterat	ons i	have	heen	so the	at it co	ompli by a C	es w
and as per anached report. ITS USE IS HEREBY revision of the Road traffic white Inspector. Authority is hereby give	PROHIBIT Act Chapt a in terms of floated may then 64(3) or for fire the ab	ED as er 13:	nd all	neced Re	essar gulat	y replicons,	airs, as at	adju nend the	umen ed. ar	ils at id a (nd al Certi he	literat fiscate	oons of F	a Thu	heen has	so the	at it co	ompli by a C	es w iover
asson of the following defo- modes per attached report. ITS USE IS HEREBY rovision of the Road traffic thicke Inspector. Authority is hereby give and after all repairs have been except required, in terms of a certificate of Fances and Lecer	PROHIBIT Act Chapt a in terms of floated may then 64(3) or for fire the ab	ED as er 13:	nd all	neced Re	essar gulat	y replicons,	airs, as at	adju nend the	umen ed. ar	ils at id a (nd al Certi he octavi and a	tierat ficate a pro-	oons of F	have itney	heen has	so the	at it constituted to	ompli by a C	es w iover
asson of the following defe- ind as per attached report. ITS USE IS HEREBY rovision of the Road traffic chicle Inspector. Authority is hereby give and after all repairs have been early required, in terms of se control required, in terms of se contracts of Finness and Lece- trate.	PROHIBIT Act Chapt a in terms of floated may then 64(3) or for the at	ED at er 13:	nd ill // ar son 6-	i necond Re	essar gulai s) of (y replions, the Administration of the Admini	as are ct for	adjumend the s	stmen ed, ar rehicl	its ai	nd all Certi he cctaus and to	dierat ficati a prov	oons of F	have itines	heen has	so the been i	at it consued	ompli by a C	es w iover
asson of the following defo- ind as per attached report. ITS USE IS HEREBY rovision of the Road traffic chicle Inspector. Authority is hereby give and after all repairs have been overly required, in terms of se corty required, in terms of se contracte of Fitness and Lece state	PROHIBIT Act Chapt a in terms of fforted may then 64(3) (or for the ab	ED at er 13: If section the domestic the limite is the limite in the li	nd all // ar con 6- eco 6	necond Re	essar gulai s) of s	y replions, the Action of the	airs, as ac et for other	adjunend the v	stmen ed, ar vehicl for re [], to	ils ai ad a (de to) cusp fora:	nd all Certic he cotton and to p	dierat ficati a prov	oons of F	have itines	heen has	so the been i	at it consued	ompli by a C	es w iover
asson of the following defo- ind as per attached report. ITS USE IS HEREBY rovision of the Road traffic behicle Inspector. Authority is hereby give and after all repuis have been early required, in terms of se curilirate of Finness and Licer late. OTE:—A cupy of this notice cereived the Registration Be	PROHIBITI Act Chapt a in terms of flooted may then 64(3) or for the ab	ED at er 13: If section the drive very and acte of	ond all // ar on 6- wen or Road shiele.	i necod Re	essar gulai s) of s	y replions, the Action of the	airs, as ac et for other	adjunend the v	stmen ed, ar vehicl for re [], to	ils ai ad a (de to) cusp fora:	nd all Certishe octava and k	therate ficate appear of the chief t	oons of F	a Thorewith	heem has	so the been i	at it consisted	ompli by a C	es wi
asson of the following deformed as per attached report. ITS USE IS HEREBY rovision of the Road traffic chicle Inspector. Authority is hereby give and after all repairs have been creby required, in terms of secondicate of Fitness and Lacer late. OTE:—A copy of this notice exceived the Registration Beats.	PROHIBIT Act [Chapt in terms of a in terms of a in terms of the footed may been 64(3) ace for the ab	ED at er 13: If section the dominate of the 1 in the latest of the late	nd all	neod Re	essar gulat a) of t rect re c Act	y reprisons, the Armonic Reprisons and the A	et for to	adjurnend the videpoi	for religions of the converse	de to	nd al Certi he octava grd k	a provi	ons of F	a Thurster with the v	heen has	so the been i	at it consued	ompli by a C	es wi
and as per attached report. ITS USE IS HEREBY revision of the Road traffic chick [aspector. Authority is hereby give and after all repairs have been every required, in terms of a centilizate of Finess and Lecer continues of Finess and Lecer.	PROHIBIT Act [Chapt in the terms of the term	ED as er 13: If section the draw and the increase of the incr	ond all /// are soon 6- were on Road 1 bicle	i necode Re Maria	essar gulat a) of t rect re c Act	y reprisons, the Armonic Reprisons and the A	et for to	adjurnend the videpoi	for religions of the converse	de to	nd all Certi he octava and a P	a promo the chief the chie	nded free last	a Thore with	heen has	so the been i	at it consued	numphi by a C	es wijover

The vehicle should be removed immediately as no responsibility can be accepted by the Department for its custody.

Vehicles may be sold if left at the Deport more than 14 days.

RT. 38

No.



ZIMBABWE

ROAD TRAFFIC ACT [CHAPTER 13:11]

Certificate of Road-worthiness for a Vehicle

То:	
Name	
Address	
Registration mark and number of vehicle	
, ,	ove registration mark and number has been examined by nents of the Road Traffic Act and Regulations framed
thereunder, and that the notice prohibiting its u	se No dated
, is	hereby cancelled.
Date	
Place	Vehicle Inspector
	W.F.

TENTH SCHEDULE (Section 88)

REPEALED REGULATIONS

Title	Statutory Instrument No.
Roads and Road Traffic (Construction, Equipment and Use) Regulations, 1972	412 of 1972
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1972 (No. 1)	602 of 1972
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1972 (No. 1)	132 of 1973
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1974 (No. 3)	305 of 1974
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1975 (No. 4)	223 of 1975
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1976 (No. 5)	224 of 1976
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1976 (No. 6)	339 of 1976
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1976 (No. 7)	512 of 1976
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1980 (No. 8)	84 of 1980
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1980 (No. 9)	410 of 1980
Roads and Road Traffie (Construction, Equipment and Use) (Amendment) Regulations, 1982 (No. 10)	342 of 1982
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1984 (No. 11)	2 of 1984
Roads and Road Traffic (Construction, Equipment and Use) (Amendment) Regulations, 1988 (No. 12)	62 of 1988